

EDITORIAL BOARD

Editor-in-chief

Prof. Dr.-Ing. Dr. h.c. J. Karger-Kocsis, University of Kaiserslautern (D)

Editor

Prof. Dr. T. Czigány, Budapest University of Technology and Economics (H)

International Advisory Board

Dr. A. Bismarck, Imperial College London (UK)

Prof. Dr. W. Brostow, University of North Texas (USA)

Dr. G. Filipcsei, ComErgen Inc., Budapest (H)

Prof. Dr. P.M. Frontini, University of Mar del Plata (ARG)

Prof. Dr. S. Hashemi, London Metropolitan University (UK)

Prof. Dr. B.K. Kim, Pusan National University (KOR)

Prof. Dr. P. Krawczak, Ecole des Mines, Douai (F)

Prof. Dr. A.S. Luyt, University of the Free State (ZA)

Prof. Dr. Gy. Marosi, Budapest University of Technology and Economics (H)

Prof. Dr. Z.A. Mohd-Ishak, Universiti Sains Malaysia, Penang (MAL)

Prof. Dr. A. Pegoretti, University of Trento (IT)

Prof. Dr. G.C. Psarras, University of Patras (GR)

Prof. Dr. J.V. Seppälä, Helsinki University of Technology (FIN)

Prof. Dr. R.A. Shanks, RMIT University, Melbourne (AU)

Dr. Z. Sun, University of New Mexico (USA)

Prof. Dr. S.C. Tjong, City University of Hong Kong (HK)

Prof. Dr. C. Werner, Max Bergmann Center of Biomaterials, Dresden (D)

Prof. Dr. M.Q. Zhang, Zhongshan University, Guangzhou (CHN)

Executive Editorial Board

Dr. L. Macskási General Editor (H)

Dr. Gy. Bánhegyi (H)

Dr. T. Bárány (H)

Mr. L. Mészáros (H)

Mr. B. Morlin (H)

Dr. G. Romhány (H)

Dr. A. Toldy (H)

Dr. J. Völgyi (H)

Publisher

Budapest University of Technology and Economics

Department of Polymer Engineering

(BME-PT Hungary, H-1111 Budapest, Műegyetem rkp. 3.)

Scientific Society of Mechanical Engineering

(GTE - Hungary, H-1027 Budapest, Fő u. 68.)

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

CONTENT

Volume 2, Number 1 / January, 2008 1

1.	Karger-Kocsis J., Czigány T.: Preface	1
2.	Chow W. S., Yap Y. P.: Optimization of process variables on flexural properties of epoxy/ organo-montmorillonite nanocomposite by response surface methodology	2
3.	Khullar R., Varshney V. K., Naithani S., Soni P. L.: Grafting of acrylonitrile onto cellulosic material derived from bamboo (Dendrocalamus strictus)	12
4.	Hou L. L., Zhao M.: Studies on the preparation of multi-monomer grafted PP by one-step extrusion and the blends with PVC	19
5.	Bajpai A. K., Bajpai J., Soni S. N.: Preparation and characterization of electrically conductive composites of poly(vinyl alcohol)-g-poly(acrylic acid) hydrogels impregnated with polyaniline (PANI)	26
6.	Zhou Y. X., Wu P. X., Cheng Z-Y., Ingram J., Jeelani S.: Improvement in electrical, thermal and mechanical properties of epoxy by filling carbon nanotube	40
7.	Bhat G. S., Gulgunje P., Desai K.: Development of structure and properties during thermal calendering of polylactic acid (PLA) fiber webs	49
8.	Caliani E., Cavalcanti M., Lona L. M. F., Fernandes F. A. N.: Modeling and simulation of high-pressure industrial autoclave polyethylene reactor	57
9.	Taghizadeh M. T., Nalbandi N., Bahadori A.: Stabilizing effect of epoxidized sunflower oil as a secondary stabilizer for Ca/Hg stabilized PVC	65

Volume 2, Number 2 / February, 2008..... 77

10.	Filipcsei G.: Smart polymers for biomedical application and environmental protection	77
11.	Lee S. Y., Kang I. A., Doh G. H., Kim W. J., Kim J. S., Yoon H. G., Wu Q. H.: Thermal, mechanical and morphological properties of polypropylene/clay/wood flour nanocomposites	78
12.	Moraes R. R., Gonçalves L. S., Ogliari F. A., Piva E., Sinhoreti M. A., Correr-Sobrinho L.: Development of dental resin luting agents based on Bis-EMA4: bond strength evaluation ...	88
13.	Kaith B. S., Kalia S.: Graft copolymerization of MMA onto flax under different reaction conditions: a comparative study	93
14.	Kudaibergenov S. E., Tatykhanova G. S., Arinov B. Zh., Kozhakhmetov S. K., Aseyev V. O.: Hybrid inorganic-organic nano- and microcomposites based on silica sols and synthetic polyelectrolytes	101
15.	Banik K.: Effect of mold temperature on short and long-term mechanical properties of PBT	111

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

16. Wang J. H., Liang G. Z., Yan H. X., He S. B.:
Mechanical and dielectric properties of epoxy/dicyclopentadiene bisphenol cyanate ester/glass fabric composite..... 118
17. Matkó S., Répási I., Szabó A., Bodzay B., Anna P., Marosi Gy.:
Fire retardancy and environmental assessment of rubbery blends of recycled polymers..... 126
18. Turmanova S. Ch., Genieva S. D., Dimitrova A. S., Vlaev L. T.:
Non-isothermal degradation kinetics of filled with rice husk ash polypropylene composites 133

Volume 2, Number 3 / March, 2008147

19. Luyt A. S.:
Role of polymers in developing phase change materials for energy storage..... 147
20. Varga J., Ehrenstein G. W., Schlarb A.K.:
Vibration welding of alpha and beta isotactic polypropylenes: Mechanical properties and structure..... 148
21. Felhős D., Xu D., Schlarb A. K., Váradi K., Goda T.:
Viscoelastic characterization of an EPDM rubber and finite element simulation of its dry rolling friction..... 157
22. Casolaro M., Ito Y., Ishii T., Bottari S., Samperi F., Mendichi R.:
Stimuli-responsive poly(ampholyte)s containing L-histidine residues: synthesis and protonation thermodynamics of methacrylic polymers in the free and in the cross-linked gel forms..... 165
23. Ryyänen T., Nykänen A., Seppälä J. V.:
Poly(CL/DLLA-b-CL) multiblock copolymers as biodegradable thermoplastic elastomers..... 184
24. Lim H., Kim S. H., Kim B. K.:
Effects of silicon surfactant in rigid polyurethane foams..... 194
25. Bundela H., Bajpai A. K.:
Designing of hydroxyapatite-gelatin based porous matrix as bone substitute: Correlation with biocompatibility aspects..... 201
26. Zhu Y. J., Tan Y. B., Du X.:
Preparation and self-assembly behavior of polystyrene-block-poly (dimethylaminoethyl methacrylate) amphiphilic block copolymer using atom transfer radical polymerization 214
27. Babu R. R., Singha N. K., Naskar K.:
Studies on the influence of structurally different peroxides in polypropylene/ethylene alpha olefin thermoplastic vulcanizates (TPVs) 226

Volume 2, Number 4 / April, 2008237

28. Krawczak P.:
Plastics and composites based on renewable resources: end-of-life recycling and recovery issues..... 237
29. Yuan Y. C., Yin T., Rong M. Z., Zhang M. Q.:
Self healing in polymers and polymer composites. Concepts, realization and outlook: A review..... 238
30. Ren L. Z., Meng L. J.:
Suzuki coupling reactions catalyzed by poly(N-ethyl-4-vinylpyridinium) bromide stabilized palladium nanoparticles in aqueous solution..... 251

31.	Mishra S. B., Luyt A. S.: <i>Effect of organic peroxides on the morphological, thermal and tensile properties of EVA-organoclay nanocomposites</i>	256
32.	Sharma V., Banait J. S., Larock R. C., Kundu P. P.: <i>Synthesis and characterization of styrene-co-divinylbenzene-graft-linseed oil by free radical polymerization</i>	265
33.	Czech Z., Butwin A., Herko E., Hefczyc B., Zawadiak J.: <i>Novel azo-peresters radical initiators used for the synthesis of acrylic pressure-sensitive adhesives</i>	277
34.	Khan M. S., Lehmann D., Heinrich G.: <i>Modification of PTFE nanopowder by controlled electron beam irradiation: A useful approach for the development of PTFE coupled EPDM compounds</i>	284
35.	Chanmal C. V., Jog J. P.: <i>Dielectric relaxations in PVDF/BaTiO₃ nanocomposites</i>	294
36.	Dinesh Kumar K., Kothandaraman B. K.: <i>Modification of (DGEBA) epoxy resin with maleated depolymerised natural rubber</i>	302

Volume 2, Number 5 / May, 2008.....312

37.	Karger-Kocsis J.: <i>Water-mediated dispersion of 'nanofillers' in termoplastics: Is it the right way?</i>	312
38.	Figueruelo J. E., García-Lopera R., Monzó I. S., Abad C., Campos A.: <i>Determination of χ from liquid-liquid phase data in ternary polymer systems (solvent/polymer/polymer) with hydrogen bonding</i>	313
39.	Viola B. M., Abraham T. E., Arathi D. S., Sreekumar E., Pillai M. R., Thomas T. J., Pillai C. K. S.: <i>Synthesis and characterization of novel water-soluble polyamide based on spermine and aspartic acid as a potential gene delivery vehicle</i>	330
40.	Rajasekaran R., Alagar M., Karikal Chozhan C.: <i>Effect of polyethersulfone and N,N'-bismaleimido-4,4'-diphenyl methane on the mechanical and thermal properties of epoxy systems</i>	339
41.	Yang H., Mendon S. K., Rawlins J. W.: <i>Nanoencapsulation of blocked isocyanates through aqueous emulsion polymerization</i>	349
42.	Lee B., Liu J. Z., Sun B., Shen C. Y., Dai G. C.: <i>Thermally conductive and electrically insulating EVA composite encapsulant for solar photovoltaic (PV) cell</i>	357
43.	Kosmidou Th. V., Vatalis A. S., Delides C. G., Logakis E., Pissis P., Papanicolaou G. C.: <i>Structural, mechanical and electrical characterization of epoxy-amine/carbon black nanonocomposites</i>	364
44.	Fritzsche J., Das A., Jurk R., Stöckelhuber K. W., Heinrich G., Klüppel M.: <i>Relaxation dynamics of carboxylated nitrile rubber filled with organomodified nanoclay</i> ..	373
45.	Priya Dasan K., Unnikrishnan G., Purushothaman E.: <i>Solvent transport through carbon black filled poly(ethylene-co-vinyl acetate) composites</i> ..	382

Volume 2, Number 6 / June, 2008391

46.	Marosi Gy.: <i>Polymer systems for solid pharmaceuticals</i>	391
-----	---	-----

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

47.	Grein C., Gahleitner M.: <i>On the influence of nucleation on the toughness of iPP/EPR blends with different rubber molecular architectures.....</i>	392
48.	Poh B. T., Lee P. G., Chuah S. C.: <i>Adhesion property of epoxidized natural rubber (ENR)-based adhesives containing calcium carbonate</i>	398
49.	Kuno T., Yamagishi Y., Kawamura T., Nitta K.: <i>Deformation mechanism under essential work of fracture process in polycyclo-olefin materials</i>	404
50.	Bledzki A. K., Mamun A. A., Lucka-Gabor M., Gutowski V. S.: <i>The effects of acetylation on properties of flax fibre and its polypropylene composites</i>	413
51.	Peres de Paula M., Lacerda T. M., Frollini E.: <i>Sisal cellulose acetates obtained from heterogeneous reactions.....</i>	423
52.	Pannirselvam M., Genovese A., Jollands M. C., Bhattacharya S. N., Shanks R. A.: <i>Oxygen barrier property of polypropylene-polyether treated clay nanocomposite</i>	429
53.	Wei P. Wang D., Wu Z., Bi X.: <i>Synthesis of a series of soluble main-chain chiral nonracemic poly(alkyl-aryl ketone).....</i>	440
54.	Tolstov A. L., Matyushov V. F., Klymchuk D. O.: <i>Synthesis and characterization of hybrid cured poly(ether-urethane)acrylate/titania microcomposites formed from tetraalkoxytitanate precursor.....</i>	449
Volume 2, Number 7 / July, 2008		460
55.	Psarras G. C.: <i>Nanodielectrics: an emerging sector of polymer nanocomposites.....</i>	460
56.	Kolesov I. S., Radusch H.-J.: <i>Multiple shape-memory behavior and thermal-mechanical properties of peroxide cross-linked blends of linear and short-chain branched polyethylenes</i>	461
57.	Hashemi S.: <i>Effect of temperature on tensile properties of injection moulded short glass fibre and glass bead filled ABS hybrids</i>	474
58.	Yudin V. E., Otaigbe J. U., Svetlichnyi V. M., Korytkova E. N., Almjasheva O. V., Gusarov V. V.: <i>Effects of nanofiller morphology and aspect ratio on the rheo-mechanical properties of polyimide nanocomposites.....</i>	485
59.	Jones I. K., Zhou Y. X., Jeelani S., Mabry J. M.: <i>Effect of polyhedral-oligomeric-sil-sesquioxanes on thermal and mechanical behavior of SC-15 epoxy.....</i>	494
60.	Cao X., Chen Y., Chang P. R., Muir A. D., Falk G.: <i>Starch-based nanocomposites reinforced with flax cellulose nanocrystals</i>	502
61.	Grób P., Marosfalvi J.: <i>Investigation of the pressure generated in the mould cavity during polyurethane integral skin foam moulding.....</i>	511
62.	Karger-Kocsis J., Felhős D., Bárány T., Czigány T.: <i>Hybrids of HNBR and in situ polymerizable cyclic butylene terephthalate (CBT) oligomers: properties and dry sliding behaviour</i>	520
63.	Thomas S. P., Thomas S., Abraham R., Bandyopadhyay S.: <i>Polystyrene/calcium phosphate nanocomposites: Contact angle studies based on water and methylene iodide.....</i>	528

Volume 2, Number 8 / August, 2008.....	539
64. Bánhegyi Gy.: <i>Polymers and 'strange' liquids.....</i>	539
65. Dhanalakshmi M., Jog J. P.: <i>Preparation and characterization of electrospun fibers of Nylon 11.....</i>	540
66. Philipp M., Gervais P. C., Sanctuary R., Müller U., Baller J., Wetzel B., Krüger J. K.: <i>Effect of mixing sequence on the curing of amine-hardened epoxy/ alumina nanocomposites as assessed by optical refractometry.....</i>	546
67. Bergman K., Hilborn J., Bowden T.: <i>Selective Michael-type addition of a D-glucuronic acid derivative in the synthesis of model substances for uronic acid containing polysaccharides.....</i>	553
68. Zhuang H., Pu R., Zong Y., Dai G. C.: <i>Relationship between fiber degradation and residence time distribution in the processing of long fiber reinforced thermoplastics.....</i>	560
69. Sanchez-Olivares G., Sanchez-Solis A., Camino G., Manero O.: <i>Study on the combustion behavior of high impact polystyrene nanocomposites produced by different extrusion processes</i>	569
70. Verma H., Kannan T.: <i>Synthesis of tri-block copolymers through reverse atom transfer radical polymerization of methyl methacrylate using polyurethane macroiniferter.....</i>	579
71. Cao H. Z., Zhang W., Zhu J., Chen X. R., Cheng Z. P., Wu J. H., Zhu X. L.: <i>Azo polymers with electronical push and pull structures prepared via RAFT polymerization and its photoinduced birefringence behaviour</i>	589
72. Soares B. G., Santos D. M., Sirqueira A. S.: <i>A novel thermoplastic elastomer based on dynamically vulcanized polypropylene/acrylic rubber blends.....</i>	602
 Volume 2, Number 9 / September, 2008	 614
73. Kim B. K.: <i>Shape memory polymers and their future developments.....</i>	614
74. Beda T., Gacem H., Chevalier Y., Mbarga P.: <i>Domain of validity and fit of Gent-Thomas and Flory-Erman rubber models to data.....</i>	615
75. Shi X. M., Zhang J., Jin J., Chen S. J.: <i>Non-isothermal crystallization and melting of ethylene-vinyl acetate copolymers with different vinyl acetate contents</i>	623
76. Pradhan Dillip K., Choudhary R. N. P., Samantaray B. K.: <i>Studies of structural, thermal and electrical behavior of polymer nanocomposite electrolytes.....</i>	630
77. Söylemez E., Çaylak N., Rzaev Z. M. O.: <i>Synthesis and characterization of functional copolymer/organo-silicate nanoarchitectures through interlamellar complex-radical (co)terpolymerization</i>	639
78. Kusmono, Mohd Ishak Z. A., Chow W. S., Takeichi T., Rochmadi: <i>Enhancement of properties of PA6/PP nanocomposites via organic modification and compatibilization</i>	655
79. Maligno A. R., Warrior N. A., Long A. C.: <i>Finite element investigations on the microstructure of fibre-reinforced composites</i>	665

80. Deng K. L., Liu J., Wang G. Z., Tian H., Ren X. B., Zhong H. B., Zhang P. F.:
**Potassium diperiodatocuprate-mediated preparation of poly(methyl methacrylate)/
organo-montmorillonite composites via in situ grafting copolymerization.....677**

Volume 2, Number 10 / October, 2008687

81. Bismarck A.:
**Are hierarchical composite structures the way forward to improve the properties of
truly green composites?687**
82. Hiamtup P., Sirivat A., Jamieson A. M.:
**Field strength dependence of the high-frequency viscoelastic relaxation process in
polyaniline/silicone oil electrorheological suspensions688**
83. Li Z. H., Zhang J., Chen S. J.:
**Effects of carbon blacks with various structures on vulcanization and reinforcement of
filled ethylene-propylene-diene rubber695**
84. Felhős D., Prehn R., Váradi K., Schlarb A. K.:
**FE simulation of the indentation deformation of SiC modified vinylester composites
in respect to their abrasive wear performance705**
85. Patsidis A., Psarras G. C.:
Dielectric behaviour and functionality of polymer matrix – ceramic BaTiO₃ composites.....718
86. Patel H. J., Patel M. G., Patel A. K., Patel K. H., Patel R. M.:
**Synthesis, characterization and antimicrobial activity of important heterocyclic
acrylic copolymers727**
87. Prashantha K., Soulestin J., Lacrampe M. F., Claes M., Dupin G., Krawczak P.:
**Multi-walled carbon nanotube filled polypropylene nanocomposites based on
masterbatch route: Improvement of dispersion and mechanical properties
through PP-g-MA addition735**
88. Siengchin S., Karger-Kocsis J., Thomann R.:
**Nanofilled and/or toughened POM composites produced by water-mediated melt
compounding: Structure and mechanical properties.....746**

Volume 2, Number 11 / November, 2008757

89. Seppälä J.:
Polymers are bound to save the world757
90. Kamel S., Ali N., Jahangir K., Shah S. M., El-Gendy A. A.:
Pharmaceutical significance of cellulose: A review758
91. Fasce L. A., Costamagna V., Pettarin V., Strumia M., Frontini P. M.:
**Poly(acrylic acid) surface grafted polypropylene films: Near surface and
bulk mechanical response779**
92. Le H. H., Zia Q., Ilisch S., Radusch H. J.:
Effect of extender oils on the stress relaxation behavior of thermoplastic vulcanizates791
93. Sengwa R. J., Choudhary S., Sankhla S.:
**Low frequency dielectric relaxation processes and ionic conductivity of montmorillonite
clay nanoparticles colloidal suspension in poly(vinyl pyrrolidone)–ethylene glycol blends ..800**
94. Wittek T., Tanimoto T.:
**Mechanical properties and fire retardancy of bidirectional reinforced composite
based on biodegradable starch resin and basalt fibres810**

95.	Qiu F. X., Yang D. Y., Li P. P., Wang X.: <i>Preparation and third-order nonlinear optical property of poly(urethane-imide) containing dispersed red chromophore</i>	823
96.	Shah G. B.: <i>Characterisation of silicone prepolymers and disparity in results</i>	829
Volume 2, Number 12 / December, 2008		835
97.	Zhang M. Q.: <i>Intrinsic fluorescence: an effective means to monitor macromolecular chain motions</i>	835
98.	Mansour S. A.: <i>Effect of extensional cyclic strain on the mechanical and physico-mechanical properties of PVC-NBR/graphite composites</i>	836
99.	Basuli U., Chaki T. K., Naskar K.: <i>Influence of Engage® copolymer type on the properties of Engage®/silicone rubber-based thermoplastic dynamic vulcanizates</i>	846
100.	Nanda M., Tripathy D. K.: <i>Physico-mechanical and electrical properties of conductive carbon black reinforced chlorosulfonated polyethylene vulcanizates</i>	855
101.	Thipdech P., Kunanurksapong R., Sirivat A.: <i>Electromechanical responses of poly(3-thiopheneacetic acid)/acrylonitrile-butadiene rubbers</i>	866
102.	Shah G. B.: <i>The effect of bimodality on tensile properties of filled silicone networks</i>	878
103.	Zhu Z. H., Ohgo K., Asakura T.: <i>Preparation and characterization of regenerated Bombyx mori silk fibroin fiber with high strength</i>	885
104.	Yilmaz M. G., Unal H., Mimaroglu A. M.: <i>Study of the strength and erosive behavior of CaCO₃/glass fiber reinforced polyester composite</i>	890