

EDITORIAL BOARD

Editor-in-chief

Prof. Dr.-Ing. Dr. h.c. J. Karger-Kocsis, Budapest University of Technology and Economics (H)

Editor

Prof. Dr. T. Czigány, Budapest University of Technology and Economics (H)

International Advisory Board

Prof. Dr. A. Bismarck, Imperial College London (UK)

Prof. Dr. W. Brostow, University of North Texas (USA)

Prof. Dr. S. Fakirov, The University of Auckland (NZ)

Prof. Dr. P.M. Frontini, University of Mar del Plata (ARG)

Prof. Dr. M. Gahleitner, Borealis Polyolefine Ltd., Linz (A)

Prof. Dr. B.K. Kim, Pusan National University (KOR)

Prof. Dr. P. Krawczak, Ecole des Mines, Douai (F)

Prof. Dr. A.S. Luyt, University of the Free State (ZA)

Prof. Dr. Gy. Marosi, Budapest University of Technology and Economics (H)

Prof. Dr. Z.A. Mohd-Ishak, Universiti Sains Malaysia, Penang (MAL)

Prof. Dr. K. Oksman, Lulea University of Technology (SWE)

Prof. Dr. A. Pegoretti, University of Trento (IT)

Prof. Dr. G.C. Psarras, University of Patras (GR)

Prof. Dr. J.V. Seppälä, Helsinki University of Technology (FIN)

Prof. Dr. R.A. Shanks, RMIT University, Melbourne (AU)

Dr. Z. Sun, Chinese Academy of Sciences (CHN)

Prof. Dr. S.C. Tjong, City University of Hong Kong (HK)

Prof. Dr. A. Todoroki, Tokyo Institute of Technology (J)

Prof. Dr. C. Werner, Max Bergmann Center of Biomaterials, Dresden (D)

Prof. Dr. M.Q. Zhang, Zhongshan University, Guangzhou (CHN)

Executive Editorial Board

Dr. L. Macskási General Editor (H)

Dr. Gy. Bánhegyi (H)

Dr. T. Bárány (H)

Dr. L. Mészáros (H)

Dr. B. Morlin (H)

Dr. G. Romhány (H)

Dr. A. Toldy (H)

Dr. J. Völgyi (H)

Publisher

Budapest University of Technology and Economics, Department of Polymer Engineering (BME-PT Hungary, H-1111 Budapest, Műegyetem rkp. 3.)

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

CONTENT

Volume 7, Number 1 / January, 2013	1
1. Czigány T.: <i>Preface – The critical seventh year.....</i>	1
2. Valente I., del Valle L. J., Casas M. T., Franco L., Rodríguez-Galán A., Puiggali J., Marchisio D.: <i>Nanospheres and nanocapsules of amphiphilic copolymers constituted by methoxypolyethylene glycol cyanoacrylate and hexadecyl cyanoacrylate units.....</i>	2
3. As'habi L., Jafari S. H., Khonakdar H. A., Boldt R., Wagenknecht U., Heinrich G.: <i>Tuning the processability, morphology and biodegradability of clay incorporated PLA/LLDPE blends via selective localization of nanoclay induced by melt mixing sequence ..</i>	21
4. Baltopoulos A., Athanasopoulos N., Fotiou I., Vavouliotis A., Kostopoulos V.: <i>Sensing strain and damage in polyurethane/MWCNT nano-composite foams using electrical measurements.....</i>	40
5. Yu Q. Z., Qin Y. M.: <i>Fabrication and formation mechanism of poly (L-lactic acid) ultrafine multi-porous hollow fiber by electrospinning</i>	55
6. Wang T. L., Shieh Y. T., Yang C. H., Ho T. H., Chen C. H.: <i>Photovoltaic properties and annealing effects of a low bandgap copolymer containing dithienothiophene and benzothiadiazole units</i>	63
7. Barhoumi N., Maazouz A., Jaziri M., Abdelhedi R.: <i>Polyamide from lactams by reactive rotational molding via anionic ring-opening polymerization: Optimization of processing parameters</i>	76
8. Noh H. H., Lee J. K.: <i>Microencapsulation of self-healing agents containing a fluorescent dye.....</i>	88
9. Chetty A., Kovács J., Sulyok Zs., Mészáros Á., Fekete J., Domján A., Szilágyi A., Vargha V.: <i>A versatile characterization of poly(N-isopropylacrylamide-co-N,N'-methylene- bis-acrylamide) hydrogels for composition, mechanical strength, and rheology.....</i>	95
Volume 7, Number 2 / February, 2013.....	106
10. Pegoretti A.: <i>Improving fibre/matrix interface through nanoparticles.....</i>	106
11. Tábi T., Tamás P., Kovács J. G.: <i>Chopped basalt fibres: A new perspective in reinforcing poly(lactic acid) to produce injection moulded engineering composites from renewable and natural resources.....</i>	107
12. Tognana S., Salgueiro W., Somoza A., Marzocca A. J.: <i>Influence of the filler content on the free nanohole volume in epoxy-based composites.....</i>	120
13. Kmetty Á., Tábi T., Kovács J. G., Bárány T.: <i>Development and characterisation of injection moulded, all-polypropylene composites</i>	134

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

14.	Chaochanchaikul K., Rosarpitak V., Sombatsompop N.: <i>Photodegradation profiles of PVC compound and wood/PVC composites under UV weathering</i>	146
15.	Kimura H., Ohtsuka K., Matsumoto A., Fukuoka H., Oishi Y.: <i>Synthesis and characterization of phenylethynylcarbonyl terminated novel thermosetting imide compound</i>	161
16.	Abt T., Martínez de Ilarduya A., Bou J. J., Sánchez-Soto M.: <i>Isocyanate toughened pCBT: Reactive blending and tensile properties</i>	172
17.	Díaz-Celorio E., Franco L., Puiggali J.: <i>Influence of microstructure on the crystallization of segmented copolymers constituted by glycolide and trimethylene carbonate units</i>	186
18.	Kalácska G.: <i>An engineering approach to dry friction behaviour of numerous engineering plastics with respect to the mechanical properties</i>	199
Volume 7, Number 3 / March, 2013		211
19.	Sun Z.: <i>Carbon nanodot – a new rising fluorescence star</i>	211
20.	Bhattacharya P., Sahoo S., Das C. K.: <i>Microwave absorption behaviour of MWCNT based nanocomposites in X-band region</i>	212
21.	Bourbigot S., Garnier L., Revel B., Duquesne S.: <i>Characterization of the morphology of iPP/sPP blends with various compositions</i>	224
22.	Amalorpava Mary L., Senthilram T., Suganya S., Nagarajan L., Venugopal J., Ramakrishna S., Giri Dev V. R.: <i>Centrifugal spun ultrafine fibrous web as a potential drug delivery vehicle</i>	238
23.	Król P., Chmielarz P.: <i>Synthesis of PMMA-b-PU-b-PMMA tri-block copolymers through ARGET ATRP in the presence of air</i>	249
24.	Xiu H., Bai H. W., Huang C. M., Xu C. L., Li X. Y., Fu Q.: <i>Selective localization of titanium dioxide nanoparticles at the interface and its effect on the impact toughness of poly(L-lactide)/poly(ether)urethane blends</i>	261
25.	Wang R., Schuman T. P.: <i>Vegetable oil-derived epoxy monomers and polymer blends: A comparative study with review</i>	272
26.	Hikosaka Y., Matsuzaki R., Todoroki A., Mizutani Y.: <i>Enhancement of interfacial fracture toughness of carbon/epoxy composite adhesive joints by in-mold surface preparation</i>	293
27.	Cailloux J., Santana O. O., Franco-Urquiza E., Bou J. J., Carrasco F., Gámez-Pérez J., MasPOCH M. L.: <i>Sheets of branched poly(lactic acid) obtained by one step reactive extrusion calendaring process: Melt rheology analysis</i>	304

Volume 7, Number 4 / April, 2013	319
28. Luyt A. S.: <i>Recent research on conductive phase-change materials for energy storage</i>	319
29. Sridhar V., Lee I., Chun H. H., Park H.: <i>Graphene reinforced biodegradable poly(3-hydroxybutyrate-co-4-hydroxybutyrate) nano-composites</i>	320
30. Jagtap S. B., Ratna D.: <i>Preparation and characterization of rubbery epoxy/multiwall carbon nanotubes composites using amino acid salt assisted dispersion technique</i>	329
31. Phua Y. J., Chow W. S., Mohd Ishak Z. A.: <i>Reactive processing of maleic anhydride-grafted poly(butylene succinate) and the compatibilizing effect on poly(butylene succinate) nanocomposites</i>	340
32. Liu K. J., Zhang J., Liu H., Qian X. Y., Zhang Y., Wang T., Shen K. Z.: <i>A multi-layer bioinspired design with evolution of shish-kebab structures induced by controlled periodical shear field</i>	355
33. He J. Y., Zhang Z. L., Kristiansen H., Redford K., Fonnum G., Modahl G. I.: <i>Crosslinking effect on the deformation and fracture of monodisperse polystyrene-co-divinylbenzene particles</i>	365
34. He L. X., Tjong S. C.: <i>Zener tunneling in conductive graphite/epoxy composites: Dielectric breakdown aspects</i> .	375
35. Naderi M., Khonsari M. M.: <i>Stochastic analysis of inter- and intra-laminar damage in notched PEEK laminates</i>	383
36. Hsieh Y. T., Woo E. M.: <i>Lamellar assembly and orientation-induced internal micro-voids by cross-sectional dissection of poly(ethylene oxide)/poly(L-lactic acid) blend</i>	396
Volume 7, Number 5 / May, 2013	406
37. Karger-Kocsis J.: <i>Waste tyre rubber – what to do next?</i>	406
38. Grishchuk S., Bonyár A., Elsässer J., Wolynski A., Karger-Kocsis J., Wetzel B.: <i>Toward reliable morphology assessment of thermosets via physical etching: Vinyl ester resin as an example</i>	407
39. Fan W. W.; Fan X. D., Tian W., Liao X. Q., Zhang W. B., Mu C. G., Kong J.: <i>Poly(ethylene glycol)-poly(tetrahydrofuran)-poly(ethylene glycol) triblock copolymer: Synthesis, crystallization behavior and novel morphology</i>	416
40. Bocchini S., Frache A.: <i>Comparative study of filler influence on polylactide photooxidation</i>	431
41. Wang H. H., Mou J., Ni Y. H., Fei G. Q., Si C. L., Zou J.: <i>Phase behavior, interaction and properties of acetic acid lignin-containing polyurethane films coupled with aminopropyltriethoxy silane</i>	443

42. Pusztai E., Kenyó Cs., Nagy J., Wagner Ö.:
The effect of some disiloxane chain extenders on the thermal and mechanical properties of cross-linked poly(siloxane-urethane)s..... 456
43. Khunova V., Kristóf J., Kelnar I., Dybal J.:
The effect of halloysite modification combined with in situ matrix modifications on the structure and properties of polypropylene/halloysite nanocomposites 471
44. Jiang C., He H., Jiang H., Ma L., Jia D. M.:
Nano-lignin filled natural rubber composites: Preparation and characterization..... 480

Volume 7, Number 6 / June, 2013494

45. Fakirov S.:
H-bonding – a chance for novel nano-sized polymers 494
46. Sownthari K., Suthanthiraraj S. A.:
Synthesis and characterization of an electrolyte system based on a biodegradable polymer..... 495
47. Maiti S., Shrivastava N. K., Suin S., Khatua B. B.:
A strategy for achieving low percolation and high electrical conductivity in melt-blended polycarbonate (PC)/multiwall carbon nanotube (MWCNT) nanocomposites: Electrical and thermo-mechanical properties..... 505
48. Suzuki A., Hayashi H.:
Ethylene tetrafluoroethylene nanofibers prepared by CO₂ laser supersonic drawing 519
49. Fejős M., Karger-Kocsis J.:
Shape memory performance of asymmetrically reinforced epoxy/carbon fibre fabric composites in flexure 528
50. Slepíčka P., Slepíčková Kasálková N., Stránská E., Bačáková L., Švorčík V.:
Surface characterization of plasma treated polymers for applications as biocompatible carriers..... 535
51. Song P., Peng Z-J., Yue Y-L., Zhang H., Zhang Z., Fan Y-C.:
Mechanical properties of silicone composites reinforced with micron- and nano-sized magnetic particles..... 546
52. Gopiraman M., Fujimori K., Zeeshan K., Kim B. S., Kim I. S.:
Structural and mechanical properties of cellulose acetate/graphene hybrid nanofibers: Spectroscopic investigations..... 554

Volume 7, Number 7 / July, 2013564

53. Bánhegyi Gy.:
Inorganic/organic hybrids, ceramic precursor polymers, composites: specialty materials of the future? 564

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

54.	Morancho J. M., Cadenato A., Ramis X., Morell M., Fernández-Francos X., Salla J. M., Serra A.:	
	<i>Unexpected differences between thermal and photoinitiated cationic curing of a diglycidyl ether of bisphenol A modified with a multiarm star poly(styrene)-b-poly(ϵ-caprolactone) polymer</i>	565
55.	Zhang G. Z., Fan Z. K., Quan Y. W., Chen Q. M.:	
	<i>The preparation and physical properties of polysulfide-based elastomers through one-pot thiol-ene click reaction</i>	577
56.	Zhou T., Wang X., Cheng P., Wang T., Xiong D., Wang X.:	
	<i>Improving the thermal conductivity of epoxy resin by the addition of a mixture of graphite nanoplatelets and silicon carbide microparticles</i>	585
57.	Tomuta A. M., Ramis X., De la Flor S., Serra A.:	
	<i>Influence of end groups in hyperbranched polyesters used as modifiers in the characteristics of epoxy thermosets cured by adipic dihydrazide</i>	595
58.	Panamoottil S. M., Pötschke P., Lin R. J. T., Bhattacharyya D., Fakirov S.:	
	<i>Conductivity of microfibrillar polymer-polymer composites with CNT-loaded microfibrils or compatibilizer: A comparative study</i>	607
59.	Sathyanarayana S., Wegrzyn M., Olowojoba G., Benedito A., Giménez E., Hübner C., Henning F.:	
	<i>Multiwalled carbon nanotubes incorporated into a miscible blend of poly(phenylenether)/polystyrene – Processing and characterization.</i>	621
60.	Gaina C., Ursache O., Gaina V., Varganici C. D.:	
	<i>Thermally reversible cross-linked poly(ether-urethane)s</i>	636
Volume 7, Number 8 / August, 2013		651
61.	Krawczak P.:	
	<i>Medical plastics: Serving healthcare</i>	651
62.	Pedrazzoli D., Ceccato R., Karger-Kocsis J., Pegoretti A.:	
	<i>Viscoelastic behaviour and fracture toughness of linear-low-density polyethylene reinforced with synthetic boehmite alumina nanoparticles</i>	652
63.	Wang C., Wang T. M., Wang Q. H.:	
	<i>Low-dielectric, nanoporous polyimide thin films prepared from block copolymer templating</i>	667
64.	Dorigato A., Giusti G., Bondioli F., Pegoretti A.:	
	<i>Electrically conductive epoxy nanocomposites containing carbonaceous fillers and in-situ generated silver nanoparticles</i>	673
65.	Li J., Gao F., Liu L. Q., Zhang Z.:	
	<i>Needleless electro-spun nanofibers used for filtration of small particles</i>	683
66.	Gao Ch., Li Y., Chi J., Lecomte Ph., Jerome R., Jerome Ch., Lei L., Li H.:	
	<i>A novel strategy towards cyclic aliphatic (co)polyesters</i>	690
67.	Morreale M., Dintcheva N. Tz., La Mantia F. P.:	
	<i>Accelerated weathering of PP based nanocomposites: Effect of the presence of maleic anhydride grafted polypropylene</i>	703

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

68. Rostirolla B., Laureto E., da Silva M. A. T., de Santana H., Dias I. F. L., Duarte J. L.:
Influence of TiO₂ nanoparticles on the optical and structural properties of PPV thin films converted at low temperatures 716

Volume 7, Number 9 / September, 2013722

69. Toldy A.:
Cyanate ester resins – 'old newcomers' among high performance composite materials 722
70. Shumaila, Alam M., Siddiqui A. M., Husain M.:
Synthesis, characterization and properties of Se nanowires intercalated polyaniline/Se nanocomposites 723
71. Coviello T., Matricardi P., Alhaique F., Farra R., Tesi G., Fiorentino S., Asaro F., Milcovich G., Grassi M.:
Guar gum/borax hydrogel: Rheological, low field NMR and release characterizations..... 733
72. Zhou T. N., Qi X. D., Fu Q.:
The preparation of the poly(vinyl alcohol)/graphene nanocomposites with low percolation threshold and high electrical conductivity by using the large-area reduced graphene oxide sheets..... 747
73. Zhou T., Chen D., Jiu J., Nge T. T., Sugahara T., Nagao S., Koga H., Nogi M., Saganuma K., Wang X., Liu X., Cheng P., Wang T., Xiong D.:
Electrically conductive bacterial cellulose composite membranes produced by the incorporation of graphite nanoplatelets in pristine bacterial cellulose membranes..... 756
74. Goswami J., Bhatnagar N., Mohanty S., Ghosh A. K.:
Processing and characterization of poly(lactic acid) based bioactive composites for biomedical scaffold application 767
75. Xiang H. X., Chen S. H., Cheng Y. H., Zhou Z., Zhu M. F.:
Structural characteristics and enhanced mechanical and thermal properties of full biodegradable tea polyphenol/poly(3-hydroxybutyrate-co-3-hydroxyvalerate) composite films 778
76. Courgneau C., Rusu D., Henneuse C., Ducruet V., Lacrampe M-F., Krawczak P.:
Characterisation of low-odour emissive polylactide/cellulose fibre biocomposites for car interior 787

Volume 7, Number 10 / October, 2013805

77. Werner C.:
Cell-instructive hydrogels to assemble in biofluids 805
78. Pergal M. V., Džunuzović J. V., Poręba R., Micić D., Stefanov P., Pezo L., Špírková M.:
Surface and thermomechanical characterization of polyurethane networks based on poly(dimethylsiloxane) and hyperbranched polyester 806
79. Hegde R. R., Bhat G. S., Deshpande B.:
Crystallization kinetics and morphology of melt spun poly(ethylene terephthalate) nanocomposite fibers..... 821

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

80.	Jitjaicham S., Kampalanonwat P., Supaphol P.: <i>Metal adsorption behavior of 2,4-dinitrophenyl hydrazine modified polyacrylonitrile nanofibers</i>	832
81.	Xu Q., Wang J., Chen S., Li W., Wang H.: <i>Synthesis and characterization of naphthalene diimide polymers based on donor-acceptor system for polymer solar cells</i>	842
82.	Rashmi B. J., Rusu D., Prashantha K., Lacrampe M-F., Krawczak P: <i>Development of bio-based thermoplastic polyurethanes formulations using corn-derived chain extender for reactive rotational molding</i>	852
83.	Yue Y-L., Zhang C., Zhang H., Zhang D-H., Chen X., Chen Y-F., Zhang Z.: <i>Tensile properties of in-situ precipitated polydimethylsiloxane networks</i>	863
84.	Scaffaro R., Botta L., Mistretta M. C., La Mantia F. P.: <i>Processing – morphology – property relationships of polyamide 6/polyethylene blend–clay nanocomposites</i>	873
Volume 7, Number 11 / November, 2013		885
85.	Gahleitner M.: <i>Controlling properties by understanding polymer crystallization</i>	885
86.	Cabezas L. I., Mazarro R., Gracia I., de Lucas A., Rodríguez J. F.: <i>Optimizing the bulk copolymerization of D,L-lactide and glycolide by response surface methodology</i>	886
87.	Barreto C., Hansen E., Fredriksen S.: <i>Advantages of polycarboxylic over dicarboxylic anhydrides in the melt modification of PPC</i>	895
88.	Sahoo B. N., Kandasubramanian B., Sabarish B.: <i>Controlled anisotropic wetting behaviour of multi-scale slippery surface structure of non fluoro polymer composite</i>	900
89.	Saithai P., Lecomte J., Dubreucq E., Tanrattanakul V.: <i>Effects of different epoxidation methods of soybean oil on the characteristics of acrylated epoxidized soybean oil-co-poly(methyl methacrylate) copolymer</i>	910
90.	Deng S. H., Zhou X. D., Zhu M. Q., Fan C. J., Lin Q. F.: <i>Interfacial toughening and consequent improvement in fracture toughness of carbon fiber reinforced epoxy resin composites: induced by diblock copolymers</i>	925
91.	Dabrowska I., Fambri L., Pegoretti A., Ferrara G.: <i>Organically modified hydrotalcite for compounding and spinning of polyethylene nanocomposites</i>	936
92.	Slepička P., Michaljáničová I., Švorčík V.: <i>Controlled biopolymer roughness induced by plasma and excimer laser treatment</i>	950

Volume 7, Number 12 / December, 2013.....959

93. Frontini P. M.:
Hard challenge with soft materials: Understanding large deformation and fracture behavior..... 959
94. Morgado J., Pereira A. T., Bragança A. M., Ferreira Q., Fernandes S. C. M., Freire C. S. R., Silvestre A. J. D., Pascoal Neto C., Alcácer L.:
Self-standing chitosan films as dielectrics in organic thin-film transistors..... 960
95. Monticelli O., Fina A., Cavallo D., Gioffredi E., Delprato G.:
On a novel method to synthesize POSS-based hybrids: An example of the preparation of TPU based system 966
96. Nurqadar R. I., Purnama P., Kim S. H.:
Preparation and characterization of a stereocomplex of poly(lactide-co-ε-caprolactone)/tricalcium phosphate biocomposite using supercritical fluid technology..... 974
97. Xu M. Z., Liu M. D., Dong S. H., Qiu G. Y., Liu X. B.:
Active diluents effects of 4-nonylphenoxy-1, 2-dinitrilbenzene on phthalonitrile containing benzoxazine and their copolymerization behaviors..... 984
98. Hemmati F., Garmabi H., Modarress H.:
Phase behavior of UCST blends: Effects of pristine nanoclay as an effective or ineffective compatibilizer 996
99. Rotrekl J., Sikora A., Kaprálková L., Dybal J., Kelnar I.:
Effect of an organoclay on the reaction-induced phase-separation in a dynamically asymmetric epoxy/PCL system..... 1012
100. Wang Z. J., Lessard B. H., Marić M.:
Thermo-responsive, UV-active poly(phenyl acrylate)-b-poly(diethyl acrylamide) block copolymers..... 1020