

EDITORIAL BOARD

Editor-in-chief

Prof. Dr.-Ing. Dr. h.c. J. Karger-Kocsis, Budapest University of Technology and Economics (H)

Editor

Prof. Dr. T. Czigány, Budapest University of Technology and Economics (H)

International Advisory Board

Prof. Dr. A. Bismarck, Imperial College London (UK)

Prof. Dr. W. Brostow, University of North Texas (USA)

Prof. Dr. S. Fakirov, The University of Auckland (NZ)

Prof. Dr. P.M. Frontini, University of Mar del Plata (ARG)

Prof. Dr. M. Gahleitner, Borealis Polyolefine Ltd., Linz (A)

Prof. Dr. B.K. Kim, Pusan National University (KOR)

Prof. Dr. P. Krawczak, Ecole des Mines, Douai (F)

Prof. Dr. A.S. Luyt, Qatar University, Doha (QA)

Prof. Dr. Gy. Marosi, Budapest University of Technology and Economics (H)

Prof. Dr. Z.A. Mohd-Ishak, Universiti Sains Malaysia, Penang (MAL)

Prof. Dr. A. Pegoretti, University of Trento (IT)

Prof. Dr. G.C. Psarras, University of Patras (GR)

Prof. Dr. J.V. Seppälä, Helsinki University of Technology (FIN)

Prof. Dr. R.A. Shanks, RMIT University, Melbourne (AU)

Prof. Dr. S.C. Tjong, City University of Hong Kong (HK)

Prof. Dr. A. Todoroki, Tokyo Institute of Technology (J)

Prof. Dr. C. Werner, Max Bergmann Center of Biomaterials, Dresden (D)

Prof. Dr. L.Q. Zhang, Beijing University of Chemical Technology (CHN)

Prof. Dr. M.Q. Zhang, Zhongshan University, Guangzhou (CHN)

Executive Editorial Board

Dr. L. Macskási (H)

Dr. Gy. Bánhegyi (H)

Dr. T. Bárány (H)

Dr. L. Mészáros (H)

Dr. B. Morlin (H)

Dr. G. Romhány (H)

Dr. A. Toldy (H)

Dr. J. Völgyi (H)

Publisher

Budapest University of Technology and Economics, Department of Polymer Engineering (BME-PT Hungary, H-1111 Budapest, Műegyetem rkp. 3.)

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

CONTENT

Volume 9, Number 1 / January, 2015	1
1. Czigány T.: <i>Preface – How to select a journal?</i>	1
2. Akashi N., Kuroda S.: <i>Preparation and characterization of Protein A-immobilized PVDF and PES membranes</i>	2
3. Liu M. Q., Duan J. P., Shi X. Z., Lu J. J., Huang W.: <i>Thermo-stabilized, porous polyimide microspheres prepared from nanosized SiO₂ templating via in situ polymerization</i>	14
4. Kishi H., Kunimitsu Y., Nakashima Y., Abe T., Imade J., Oshita S., Morishita Y., Asada M.: <i>Control of nanostructures generated in epoxy matrices blended with PMMA-<i>b</i>-PnBA-<i>b</i>-PMMA triblock copolymers</i>	23
5. Yu P., He H., Jiang C., Wang D., Jia Y., Zhou L., Jia D. M.: <i>Reinforcing styrene butadiene rubber with lignin-novolac epoxy resin networks</i>	36
6. Kancheva M., Toncheva A., Manolova N., Rashkov I.: <i>Enhancing the mechanical properties of electrospun polyester mats by heat treatment</i>	49
7. Oxfall H., Ariu G., Gkourmpis T., Rychwalski R. W., Rigdahl M.: <i>Effect of carbon black on electrical and rheological properties of graphite nanoplatelets/poly(ethylene-butyl acrylate) composites</i>	66
8. Li L., Ruan W-H., Zhang M-Q., Rong M-Z.: <i>Studies on the selective localization of multi-walled carbon nanotubes in blends of poly(vinylidene fluoride) and polycaprolactone</i>	77
Volume 9, Number 2 / February, 2015.....	84
9. Zhang M. Q.: <i>Polymer self-heals in seconds</i>	84
10. Niedermann P., Szebényi G., Toldy A.: <i>Novel high glass temperature sugar-based epoxy resins: Characterization and comparison to mineral oil-based aliphatic and aromatic resins</i>	85
11. Stenberg H., Stenberg P., Takkunen L., Kuittinen M., Suvanto M., Pakkanen T. T.: <i>Low-cost replication of self-organized sub-micron structures into polymer films</i>	95
12. Rakesh G. R., Ranjit G. S., Karthikeyan K. K., Radhakrishnan P., Biji P.: <i>A facile route for controlled alignment of carbon nanotube-reinforced, electrospun nanofibers using slotted collector plates</i>	105
13. Van Mieghem B., Desplentere F., Van Bael A., Ivens J.: <i>Improvements in thermoforming simulation by use of 3D digital image correlation</i>	119
14. Grössing H., Becker D., Kaufmann S., Schledjewski R., Mitschang P.: <i>An evaluation of the reproducibility of capacitive sensor based in-plane permeability measurements: A benchmarking study</i>	129

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

15.	Chang K. C., Chuang T. L., Ji W. F., Chang C. H., Peng Y. Y., Shih H., Hsu C. L., Yeh J. M., Tang W. C., Su Y. C.: <i>UV-curable nanocasting technique to prepare bioinspired superhydrophobic organic-inorganic composite anticorrosion coatings</i> 143
16.	Gyarmati B., Hegyesi N., Pukánszky B., Szilágyi A.: <i>A colourimetric method for the determination of the degree of chemical cross-linking in aspartic acid-based polymer gels</i> 154
Volume 9, Number 3 / March, 2015 165	
17.	Czigány T.: <i>Preface – The 'Gatekeeper' of Express Polymer Letters is 65</i> 165
18.	Arena G., Friedrich K., Acierno D., Padenko E., Russo P., Filippone G., Wagner J.: <i>Solid particle erosion and viscoelastic properties of thermoplastic polyurethanes</i> 166
19.	Ye X. J., Zhu Y., Yuan Y. C., Song Y. X., Yang G. C., Rong M. Z., Zhang M. Q.: <i>Fatigue life extension of epoxy materials using ultrafast epoxy-SbF₅ healing system introduced by manual infiltration</i> 177
20.	Maspoch M. Ll, Santana O. O., Cailloux J., Franco-Urquiza E., Rodriguez C., Belzunce J., Martinez A. B.: <i>Ductile-brittle transition behaviour of PLA/o-MMT films during the physical aging process</i> 185
21.	Rasheva Z., Sorochynska L., Grishchuk S., Friedrich K.: <i>Effect of the solvent type and polymerization conditions on the curing kinetics, thermal and viscoelastic performance of poly(amide-imide) resins</i> 196
22.	Chow W. S., Mohd Ishak Z. A.: <i>Polyamide blend-based nanocomposites: A review</i> 211
23.	van der Meer D. W., Varga J., Vancso G. J.: <i>The influence of chain defects on the crystallisation behaviour of isotactic polypropylene</i> ..233
24.	Kolesov I., Dolynchuk O., Radusch H.-J.: <i>Shape-memory behavior of cross-linked semi-crystalline polymers and their blends</i> 255
25.	Dabrowska I., Fambri L., Pegoretti A., Slouf M., Vackova T., Kolarik J.: <i>Spinning, drawing and physical properties of polypropylene nanocomposite fibers with fumed nanosilica</i> 277
26.	Heinrich G., Vilgis T. A.: <i>A statistical mechanical approach to the Payne effect in filled rubbers</i> 291
27.	Kimble L. D., Bhattacharyya D., Fakirov S.: <i>Biodegradable microfibrillar polymer-polymer composites from poly(L-lactic acid)/poly(glycolic acid)</i> 300
28.	Menyhárd A., Suba P., László Zs., Fekete H. M., Mester Á. O., Horváth Zs., Vörös Gy., Varga J., Móczó J.: <i>Direct correlation between modulus and the crystalline structure in isotactic polypropylene</i> 308
29.	Halász I. Z., Romhány G., Kmetty Á., Bárány T., Czigány T.: <i>Failure of compression molded all-polyolefin composites studied by acoustic emission</i> 321

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

Volume 9, Number 4 / April, 2015	329
30. Pegoretti A.: <i>Where micro- and nano-worlds meet: multiscale polymer composites.....</i>	329
31. Saucă S., Giamberini M., Cerruti P., Malinconico M., Reina J. A.: <i>Effect of phosphorous-containing modified poly(vinyl alcohol) on the mechanical and flame retardant properties of polypropylene</i>	330
32. Mert E. H., Slugovc C., Krajnc P.: <i>Tailoring the mechanical and thermal properties of dicyclopentadiene polyHIPes with the use of a comonomer</i>	344
33. Lucchetta G., Sorgato M., Zanchetta E., Brusatin G., Guidi E., Di Liddo R., Conconi M. T.: <i>Effect of injection molded micro-structured polystyrene surfaces on proliferation of MC3T3-E1 cells</i>	354
34. Lee J-M., Moon J-S., Lee H., Choi B-H.: <i>Investigation of fatigue and mechanical properties of the pipe grade poly(vinyl chloride) using recycled scraps.....</i>	362
35. Liu W., Guo H. X., Ji S. L., Niu H. J., Li J. R.: <i>A new PDMS-b-PPO block copolymer membrane with novel non-perforated structure towards high flux for alcohol permselective pervaporation</i>	372
36. Przybytniak G., Boguski J., Placek V., Verardi L., Fabiani D., Linde E., Gedde U. W.: <i>Inverse effect in simultaneous thermal and radiation aging of EVA insulation</i>	384
37. Tábi T., Suplicz A., Szabó F., Kovács N. K., Zink B., Hargitai H., Kovács J. G.: <i>The analysis of injection molding defects caused by gate vestiges</i>	394
Volume 9, Number 5 / May, 2015.....	401
38. Tjong S. C., He L. X.: <i>Polymer nanocomposites for energy applications</i>	401
39. Popelka A., Novák I., Lehocký M., Bílek F., Kleinová A., Mozetič M., Špírková M., Chodák I.: <i>Antibacterial treatment of LDPE with halogen derivatives via cold plasma</i>	402
40. Abbasi H., Antunes M., Velasco J. I.: <i>Graphene nanoplatelets-reinforced polyetherimide foams prepared by water vapor-induced phase separation</i>	412
41. Charlier Q., Girard E., Freyermouth F., Vandesteene M., Jacquel N., Ladavière C., Rousseau A., Fenouillot F.: <i>Solution viscosity – molar mass relationships for poly(butylene succinate) and discussion on molar mass analysis</i>	424
42. Hamad K., Kaseem M., Yang H. W., Deri F., Ko Y. G.: <i>Properties and medical applications of polylactic acid: A review.....</i>	435
43. Soroceanu M., Barzic A. I., Stoica I., Sacarescu L., Harabagiu V.: <i>The influence of polysilane chemical structure on optical properties, rubbed film morphology and LC alignment</i>	456

44.	Ghorpade R. V., Rajan C. R., Chavan N. N., Ponrathnam S.: <i>Synthesis of novel silica-polyimide nanocomposite films using aromatic-amino modified silica nanoparticles: Mechanical, thermal and morphological investigations</i> 469
45.	Bailey P. B. S., Lafferty A. D.: <i>Specimen gripping effects in composites fatigue testing – Concerns from initial investigation</i> 480
Volume 9, Number 6 / June, 2015 489	
46.	Bismarck A.: <i>Added function – Added value: Multifunctional high-performance composites</i> 489
47.	Ning N. Y., Zheng Z. P., Zhang L. Q., Tian M.: <i>An excellent ozone-resistant polymethylvinylsiloxane coating on natural rubber by thiol-ene click chemistry</i> 490
48.	Neo W. T., Ye Q., Wang X., Yan H., Xu J.: <i>Low band-gap polymers incorporating benzotriazole and 5,6-dialkoxy-benzothiadiazole as solution processable electrochromic materials</i> 496
49.	Paszkiwicz S., Szymczyk A., Livanov K., Wagner H. D., Roślaniec Z.: <i>Enhanced thermal and mechanical properties of poly(trimethylene terephthalate-block-poly(tetramethylene oxide) segmented copolymer based hybrid nanocomposites prepared by in situ polymerization via synergy effect between SWCNTs and graphene nanoplatelets</i> 509
50.	Pizarro G. del C., Marambio O. G., Jeria-Orell M., González-Henríquez C. M., Sarabia-Vallejos M., Geckeler K. E.: <i>Effect of annealing and UV-radiation time over micropore architecture of self-assembled block copolymer thin film</i> 525
51.	Weng L., Xie H. L., Arges C. G., Tang J., Zhong G. Q., Zhang H. L., Chen E. Q.: <i>Combined main-chain/side-chain ionic liquid crystalline polymer based on ‘jacketing’ effect: Design, synthesis, supra-molecular self-assembly and photophysical properties</i> 536
52.	Faccia P. A., Pardini F. M., Amalvy J. I.: <i>Evaluation of pH-sensitive poly(2-hydroxyethyl methacrylate-co-2-(diisopropylamino)ethyl methacrylate) copolymers as drug delivery systems for potential applications in ophthalmic therapies/ocular delivery of drugs</i> 554
53.	Xu M. Z., Jia K., Liu X. B.: <i>Effect of bisphenol-A on the structures and properties of phthalonitrile-based resin containing benzoxazine</i> 567
Volume 9, Number 7 / July, 2015 582	
54.	Zhang L. Q., Liu J.: <i>Proper molecular level tool to explore the structure-property relationships in elastomer nanocomposites</i> 582

55.	Armentano I., Fortunati E., Burgos N., Dominici F., Luzi F., Fiori S., Jiménez A., Yoon K., Ahn J., Kang S., Kenny J. M.: <i>Processing and characterization of plasticized PLA/PHB blends for biodegradable multiphase systems</i>583
56.	Fu D. H., Zhan Y. H., Yan N., Xia H. S.: <i>A comparative investigation on strain induced crystallization for graphene and carbon nanotubes filled natural rubber composites</i>597
57.	Zhou T., Koga H., Nogi M., Sugahara T., Nagao S., Nge T. T., Sugauma K., Cui H-W., Liu F., Nishina Y.: <i>Targeted kinetic strategy for improving the thermal conductivity of epoxy composite containing percolating multi-layer graphene oxide chains</i> 608
58.	Yan W., Fang L., Noechel U., Kratz K., Lendlein A.: <i>Influence of deformation temperature on structural variation and shape-memory effect of a thermoplastic semi-crystalline multiblock copolymer</i>624
59.	Makowski T., Ganicz T., Zajackowski W., Pisula W., Stanczyk W. A., Tracz A.: <i>Synthesis and thermotropic behavior of side chain polysiloxane bearing triphenylene moiety</i> 636
60.	Ručigaj A., Alič B., Krajnc M., Šebenik U.: <i>Curing of bisphenol A-aniline based benzoxazine using phenolic, amino and mercapto accelerators</i>647
61.	Hartl A. M., Jerabek M., Lang R. W.: <i>Anisotropy and compression/tension asymmetry of PP containing soft and hard particles and short glass fibers</i> 658
Volume 9, Number 8 / August, 2015.....671	
62.	Fakirov S.: <i>Is the use of correct terms and definitions important in creation of new materials?</i> 671
63.	Wu X., Lin T. F., Tang Z. H., Guo B. C., Huang G. S.: <i>Natural rubber/graphene oxide composites: Effect of sheet size on mechanical properties and strain-induced crystallization behaviour</i> 672
64.	Liu T., Wang Y., Eyley A., Chang Y. C., Zhong W. H.: <i>Facilitating protein denaturation in organic solvent and the contribution to the promoting dispersion of graphite nanoplatelets in a polymer</i> 686
65.	Shiravand F., Hutchinson J. M., Calventus Y.: <i>Non-isothermal cure and exfoliation of tri-functional epoxy-clay nanocomposites</i> 695
66.	Pedrazzoli D., Dorigato A., Conti T., Vanzetti L., Bersani M., Pegoretti A.: <i>Liquid crystalline polymer nanocomposites reinforced with in-situ reduced graphene oxide</i> 709
67.	Rashmi B. J., Prashantha K., Lacrampe M-F., Krawczak P.: <i>Toughening of poly(lactic acid) without sacrificing stiffness and strength by melt-blending with polyamide 11 and selective localization of halloysite nanotubes</i> 721

68. Sim B., Chae H. S., Choi H. J.:
Fabrication of polyaniline coated iron oxide hybrid particles and their dual stimuli-response under electric and magnetic fields..... 736
69. Yokose R., Shimasaki T., Teramoto N., Shibata M.:
Amino acid-incorporated polymer network by thiol-ene polymerization 744

Volume 9, Number 9 / September, 2015756

70. Luyt A. S.:
Using thermogravimetric analysis to determine polymer thermal stability: Relevance of changes in onset temperature of mass loss..... 756
71. Tsujimoto T., Ohta E., Uyama H.:
Plant oil-based shape memory polymer using acrylic monolith..... 757
72. Iqbal H. M. N., Kyazze G., Locke I. C., Tron T., Keshavarz T.:
Development of novel antibacterial active, HaCaT biocompatible and biodegradable CA-g-P(3HB)-EC biocomposites with caffeic acid as a functional entity..... 764
73. Nerantzaki M., Filippousi M., Van Tendeloo G., Terzopoulou Z., Bikiaris D., Goudouri O. M., Detsch R., Gruenewald A., Boccaccini A. R.:
Novel poly(butylene succinate) nanocomposites containing strontium hydroxyapatite nanorods with enhanced osteoconductivity for tissue engineering applications..... 773
74. Blachechen L. S., Amim Jr. J., Lincopan N., Petri D. F. S.:
Carboxymethylcellulose acetate butyrate/poly(4-vinyl-N-pentyl pyridinium bromide) blends as antimicrobial coatings 790
75. Wang B., Jeon Y. S., Park H. S., Kim Y. J., Kim J-H.:
Mussel-mimetic self-healing polyaspartamide derivative gel via boron-catechol interactions 799
76. Acebo C., Alorda M., Ferrando F., Fernández-Francos X., Serra A., Morancho J. M., Salla J. M., Ramis X.:
Epoxy/anhydride thermosets modified with end-capped star polymers with poly(ethyleneimine) cores of different molecular weight and poly(ϵ -caprolactone) arms..... 809
77. Tanpitaksit T., Jubsilp C., Rimdusit S.:
Effects of benzoxazine resin on property enhancement of shape memory epoxy: A dual function of benzoxazine resin as a curing agent and a stable network segment 824

Volume 9, Number 10 / October, 2015838

78. Pegoretti A., Karger-Kocsis J.:
Interphase engineering in polymer composites: Challenging the devil..... 838
79. Mokhena T. C., Jacobs V., Luyt A. S.:
A review on electrospun bio-based polymers for water treatment..... 839
80. Wang T. L., Huang S. C., Yang C. H., Chuang Y. Y., Chen C. H.:
The effect of intramolecular donor-acceptor moieties with donor- π -bridge-acceptor structure on the solar photovoltaic performance 881

eXPRESS Polymer Letters

Web: www.expresspolymlett.com

E-mail: expresspolymlett@pt.bme.hu

ISSN 1788-618X

81.	Polt G., Spieckermann F., Wilhelm H., Fischer Ch., Schafler E., Bernstorff S., Zehetbauer M.: <i>Crystalline plasticity in isotactic polypropylene below and above the glass transition temperature</i> 894
82.	Molaba M. P., Dudić D., Luyt A. S.: <i>Influence of the presence of medium-soft paraffin wax on the morphology and properties of iPP/silver nanocomposites</i> 901
83.	Radoman T. S., Džunuzović J. V., Trifković K. T., Palija T., Marinković A. D., Bugarski B., Džunuzović E. S.: <i>Effect of surface modified TiO₂ nanoparticles on thermal, barrier and mechanical properties of long oil alkyd resin-based coatings</i> 916
84.	Yousefzade O., Hemmati F., Garmabi H., Mahdavi M.: <i>Assisted heterogeneous multinucleation and bubble growth in semicrystalline ethylene-vinyl acetate copolymer/expanded graphite nanocomposite foams: Control of morphology and viscoelastic properties</i> 932
85.	Ramoa S. D. A. S., Barra G. M. O., Merlini C., Livi S., Soares B G., Pegoretti A.: <i>Novel electrically conductive polyurethane/montmorillonite-polypyrrole nanocomposites</i> 945
Volume 9, Number 11 / November, 2015 959	
86.	Krawczak P.: <i>Additive manufacturing of plastic and polymer composite parts: Promises and challenges of 3D-printing</i> 959
87.	Le H. H., Parsaker M., Sriharish M. N., Henning S., Menzel M., Wießner S., Das A., Do Q. K., Heinrich G., Radosch H-J.: <i>Effect of rubber polarity on selective wetting of carbon nanotubes in ternary blends</i> 960
88.	Genovese L., Lotti N., Gazzano M., Finelli L., Munari A.: <i>New eco-friendly random copolyesters based on poly(propylene cyclohexanedicarboxylate): Structure-properties relationships</i> 972
89.	Kowalewska A., Nowacka M., Makowski T.: <i>Macroporous materials by self-assembly of linear oligo(phenylsilsesquioxanes)</i> 984
90.	Ashraf A. R., Akhter Z., McKee V., Siddiq M.: <i>Effect of polydimethylsiloxane incorporation on the properties of polyimides synthesized from newly designed α,α'-bis(2-aminophenoxy)-p-xylene</i> 1001
91.	Garcia P. S., de Sousa F. D. B., de Lima J. A., Cruz S. A., Scuracchio C. H.: <i>Devulcanization of ground tire rubber: Physical and chemical changes after different microwave exposure times</i> 1015
92.	Liu X., Wu F., Guo H., Zhao B., Tan S.: <i>Synthesis and property characterization of two novel side-chain isoindigo copolymers for polymer solar cells</i> 1027
93.	Costantino M. A., Pettarin V., Pontes A. J., Frontini P. M.: <i>Mechanical performance of double gated injected metallic looking polypropylene parts</i> 1040

Volume 9, Number 12 / December, 2015.....1052

94. Mohd Ishak Z. A.:
***How green are green polymer composites?
(Any chance to define the level of 'greenness'?)*** **1052**
95. Kiran V., Awasthi S., Gaur B.:
***Hydroquinone based sulfonated poly (arylene ether sulfone) copolymer
as proton exchange membrane for fuel cell applications*** **1053**
96. Liu W. T., Yang Y., Shen P. H., Gao X. J., He S. Q., Liu H., Zhu C. S.:
***Facile and simple preparation of pH-sensitive chitosan-mesoporous silica nanoparticles
for future breast cancer treatment*** **1068**
97. Seghar S., Aït Hocine N., Mittal V., Azem S., Al-Zohbi F., Schmaltz B., Poirot N.:
***Devulcanization of styrene butadiene rubber by microwave energy:
Effect of the presence of ionic liquid*** **1076**
98. Ruellan A., Guinault A., Sollogoub C., Chollet G., Ait-Mada A., Ducruet V., Domenek S.:
Industrial vegetable oil by-products increase the ductility of polylactide..... **1087**
99. Tsonos C., Pandis C., Soin N., Sakellari D., Myrovali E., Kriptomou S., Kanapitsas A., Siores E.:
***Multifunctional nanocomposites of poly(vinylidene fluoride)
reinforced by carbon nanotubes and magnetite nanoparticles*** **1104**
100. Escalante-Solís M. A., Valadez-González A., Herrera-Franco P. J.:
***A note on the effect of the fiber curvature on the micromechanical behaviour
of natural fiber reinforced thermoplastic composites*** **1119**
101. Rahmat M., Ghasemi I., Karrabi M., Azizi H., Zandi M., Riahinezhad M.:
***Silane crosslinking of poly(lactic acid):
The effect of simultaneous hydrolytic degradation***..... **1133**